Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	92	(("(6115712") or ("6061665") or ("6061665") or ("6092053") or ("6282522") or ("6772333") or ("6366967") or ("5903721") or ("6367009") or ("6525747") or ("6314521") or ("6393420") or ("5809145") or ("5809144") or ("6101486") or ("6041123") or ("6078902") or ("6085321") or ("6253193") or ("6363488") or ("6389402") or ("6427140") or ("5935246") or ("6285991") or ("6345288") or ("5930479") or ("6052710") or ("5956483") or ("6141666") or ("6202159") or ("5864823") or ("6327578") or ("6463418") or ("6823387") or ("6901512") or ("5826267") or ("6269394") or ("6018801") or ("6088796") or ("6247133") or ("6304969") or ("6438584") or ("6446115") or ("6725381") or ("5960411") or ("5991739") or ("6169997") or ("6175838") or ("6587878") or ("6038548").pn.")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/13 16:25
S2	96	(("(6240461") or ("6098056") or ("6073124") or ("6785666") or ("6873981") or ("5583940") or ("6023509") or ("6199053") or ("6148405") or ("5884312") or ("6385596") or ("6868403") or ("6006258") or ("6044468") or ("5925127") or ("5941954") or ("6385728") or ("5991411") or ("5940516") or ("6237005") or ("6052784") or ("6122632") or ("6278704") or ("6415290") or ("5958016") or ("6115040") or ("6141413") or ("5862325") or ("5907547") or ("5923738") or ("5930341") or ("5937041") or ("5948061") or ("6023684") or ("6055510") or ("6055573") or ("6088717") or ("6092196") or ("6091808") or ("6144667") or ("6240444") or ("6240453") or ("6377936") or ("6377993") or ("6389541") or ("6393456") or ("6606708") or ("6675067") or ("6725429") or ("6850484").pn.")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/12 13:53
S3	94	(("(6859783") or ("6892347") or ("6047264") or ("6185602") or ("6711679") or ("6732179") or ("6772216") or ("5805803") or ("6311215") or ("6311278") or ("6598032") or ("6631417") or ("5964891") or ("6226669") or ("6226669") or ("5809242") or ("5958053") or ("5964833") or ("6014502") or ("6026404") or ("6085232") or ("6138156") or ("6185610") or ("6225995") or ("6225995") or ("6247056") or ("5822543") or ("5896372") or ("5943648") or ("5996011") or ("5999971") or ("6003094") or ("6016516") or ("6044205") or ("6085224") or ("6118860") or ("6134584") or ("6138158") or ("6173322") or ("6175619") or ("6181781") or ("6184996") or ("6199106") or ("6202087") or ("6205477") or ("6311211") or ("6314456") or ("6314565") or ("6321257") or ("6324584").pn.")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/12 15:08
S4	2283	((user or client) and browser and internet and "web server" and "application server" and database and URL and (program or script or macros))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:12
S5	1978	S4 and ((transmit$3 or receiv$3) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:14

S6	219	S5 and ((message or data) with (unauthoriz$2 or milicious))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:17
S7	177	S6 and ((process or procedure) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:18
S8	12	S7 and ("name pair value" or "name value pair" or "Nvp" or "npv")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:33
S9	5513	("name pair value" or "name value pair" or "NVP" OR "NPV")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:57
S10	3514	S9 and (message or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:58
S11	871	S10 and ((process or procedure) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:59
S12	759	S11 and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 15:59
S13	1	S12 and (((unauthoriz$2 or milicious or destructive) adj (element or instruction or command)) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:02
S14	1	S10 and (((unauthoriz$2 or milicious or destructive) adj (element or instruction or command)) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:02
S15	1	S9 and (((unauthoriz$2 or milicious or destructive) adj (element or instruction or command)) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:02

S16	54	(((unauthoriz$2 or milicious or destructive) adj (element or instruction or command)) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:29
S17	921	(((unauthoriz$2 or milicious or destructive) adj (element or instruction or command or data)) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:29
S18	4	S17 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:30
S19	5508	("name value pair" or "Nvp" or "npv")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:35
S20	704	(("name value pair" or "Nvp" or "npv") with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:36
S21	274	S20 and(message with (instruction or parameter or command or character or token or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:38
S22	203	S21 and (instrunction or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:38
S23	33	S22 and (unauthoriz$2 or destruct$3 or milicious)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:57
S24	1156	"secure server"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:57
S26	156	S24 and ((process or execure or run) near (program or script or macros or routine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/12 16:59

S27	11	S26 and ((intercept$3 or interrupt$3 or decod$3) near (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:34
S28	22079	(((user or client) with (send or trnasmit) with (data or message))and (receive with (mesage or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:36
S29	22079	S28 and ((message or data) with ((unauthoriz$2 or milicious) adj$2 (information or data or element or content or instrunction or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:39
S30	13213	S29 and (server and internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:40
S31	11971	S30 and (server with ((process or procedure or decode) adj$2 (message or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 08:42
S32	830	S31 and ((examin$3 or verif$4) adj (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:13
S33	92	S32 and ((intercept$3 or interrupt$3) adj (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 09:14
S34	90	S33 and ((send$3 or transmitt$3) with (error or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:06
S35	6496	713/200,201,194.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:07
S36	8549	709/223,224,225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:07

S37	645	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:07
S38	6391	S35 and ((interrut$3 or intercept$3) adj$2 (data or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:08
S39	6389	S38 and ((examin$3 or verif$4) adj$2 (data or message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:09
S40	5584	S39 and ((message or data) with ((unauthoriz$2 or milicious) adj$2 (content or information or element or instruction or command)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:11
S41	269	S40 and ((proces$4 or procedur$3) adj (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:13
S42	82	S41 and ((error adj notificat$3) or notification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 10:13
S43	72	S42 and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:28
S44	2	"6886099".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:30
S48	2	("20040025052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/13 11:32
S50	2	("6397335").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/07/13 11:55
S51	2218	((identificat$3 or identif$4) with (execut$4 adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:58

S52	535	S51 and (program with (process or procedure) with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:00
S53	192	S52 and internet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:00
S54	4	S52 and (error adj notif$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:07
S55	102	S53 and (receiv$3 adj (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:07
S56	72	S55 and ((retriev$3 or recover$3) with (information or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:46
S57	2	"6748534".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:55
S58	2	"5832208".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:04
S59	6	"066367".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:04
S60	60	((execut$4 adj program) with (map$4 or match$3) with (type or catagory or class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:14
S61	57	S60 and (message or data or file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:54

S62	69	("20010007995"|"4949248"|"5204947"|"526523 9"|"5761656"|"5801170"|"5832274"|"5838906"|" 5859978"|"5870552"|"5896533"|"5898835"|"590 3727"|"6026433"|"6038596"|"6047312"|"608851 5"|"6125387"|"6128642"|"6131116"|"6154218"|" 6185609"|"6195678"|"6256662"|"6256662"|"625 6666"|"6263363"|"6266678"|"6362836"|"642167 3"|"6442565"|"6502133"|"6721803"|"6779117"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:00
S63	7141	identif$7 with execut$4 with process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:15
S64	395	identif$7 with execut$4 with process with message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:15
S65	126	S64 and (execut$4 adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:16
S66	1	S64 and ((execut$4 adj program)with ((map$3 or match$3) with (type or class)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:21
S67	1	S64 and ((execut$4 adj program)with (map$3 or match$3) with (type or class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:21
S68	79	S64 and ((map$3 or match$3) with (type or class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:22
S69	21	S65 and ((map$3 or match$3) with (type or class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:28
S70	189	(message with ("name pair value" or "name value pair" or "NVP" OR "npv"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:35
S71	185	S70 and ((unauthoriz$2 or milicious or desructive) adj$2 (code or parameter or program or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:36

S72	11	S71 and (internet and "network server")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 09:24
S73	159	S71 and (internet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:45
S74	44	S73 and (execut$4 adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:47
S75	47	S71 and (execut$4 adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:05
S77	67	((execut$4 adj program) with (scan$4 or verif$4 or decod$3) with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:15
S78	6	S77 and (identif$7 with (execut$4 adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:18
S80	1969	((execut$4 adj program) with (scan$4 adj$2 message))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:17
S82	184	S80 and (identif$7 with (execut$4 adj program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:20
S85	65	S82 and (process with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:22
S86	189	(message with ("name pair value" or "name value pair" or "NVP" OR "npv"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 09:24

S87	185	S86 and ((unauthoriz$2 or milicious or desruktive) adj$2 (code or parameter or program or script))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 09:24
S88	156	S87 and (internet and server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 09:24
S89	67	((execut$4 adj program) with (scan$4 or verif$4 or decod$3) with message)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 09:36
S92	2	"6088803".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 10:20
S94	4	"978563".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 17:27
S95	713	(("name value pair" or "Nvp" or "npv") with (message or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:18
S96	280	S95 and(message with (instruction or parameter or command or character or token or string))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:18
S97	204	S96 and (instrunction or command)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 16:18
S98	21	(((message or data) adj (compris$3 or contain$3)) adj ("name value pair" or "name/value pair" or "nvp"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15
S99	45	(((message or data) adj (compris$3 or contain$3)) with ("name value pair" or "name/value pair" or "nvp"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:15